

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

PUBLIC SERVICES – IRRIGATION & CAD Department – Disciplinary Proceedings initiated against Sri K. Muralidhar, the then Executive Engineer, Godavari Head Works Division, Dowlaiswaram under rule 20 of APCS (CC&A) Rules 1991 for his misconduct – Appointment of Inquiring Authority – Orders - Issued.

IRRIGATION & COMMAND AREA DEVELOPMENT (Ser. IV-1) DEPARTMENT.

G.O. Rt. No 460

Date: 24 -04-2010

ORDER:-

Whereas, an inquiry under Rule 20 of the A.P. Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against Sri K. Muralidhar, the then Executive Engineer, Godavari Head Works Division, Dowlaiswaram

2. And whereas, it is considered that an inquiring Authority should be appointed to inquire into the charges framed against the said Sri K. Muralidhar, the then Executive Engineer, Godavari Head Works Division, Dowlaiswaram

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of rule 20 of the said rule, the disciplinary authority hereby appoints Sri M. Venkateswara Rao, Chief Engineer, Indira Sagar Project, Polavaram, East Godavari District as the Inquiring authority to inquire into the charges framed against the said Sri K. Muralidhar, the then Executive Engineer, Godavari Head Works Division, Dowlaiswaram

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH).

S. P. TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT.

To

Sri M. Venkateswara Rao, Chief Engineer, Indira Sagar Project, Polavaram, East Godavari District (With enclosures:-) 1) Articles of Charges. 2) WSSD of Charged Officer 3) copies of documents.

Copy to Sri K. Muralidhar, the then Executive Engineer, Godavari Head Works Division, Dowlaiswaram through the Engineer-in-Chief (AW), I & CAD Department, Jalasoudha Buildings, Errammanzil, Hyderabad.

Copy to: The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

// FORWARDED :: BY ORDER //

SECTION OFFICER.